


Home Sewing Machine

Model: L800

Long Arm Computer Type


SEWMASTER
Flexibility of Sewing




DROP-IN BOBBIN



Electronic Functions




Double A/C BOX



FREE ARM



DROP FEED




Needle Threader



Push Button



Touch Pad




306mm




Knee Lift



400 Stitches



950 ±50 Stitches Per Minute



7.0mm. Max



5.0mm. Max



Auto-Bobbin Thread Cut

Dimension of Machine: 64x24x31 cm
Dimension of Package: 77x36x46 cm

N.W.: 11.5 KGS

Specification

1a	Computerized selection of stitches	YES
2	Number of stitches	400 stitches
3	utility stitches	YES
4	stretching stitches	YES
5	decorative stitches	YES
6	Buttonhole	AUTO 11 PCS
7a	1 step button hole	YES
8	Alphabet	YES
9	Height of presser foot	2nd level- Max.10mm
10	Reverse Stitch Length	Max. 4.0mm
11a	length of stitchDial	Max. 5.0mm
11b	width of stitchDial	Max. 7.0mm
12	Tension regulate Dial	YES
13	Needle Poition	LEFT-MIDDLE-RIGHT
14	Start/stop button	YES
15	Needle up /down position control button	YES
16	Needle stop position control button	YES
17	Automatic under bed bobbin trimmer	YES
18	LOCK stitch button	YES
19	Reverse Stitch button	YES
20	Pattern Charts at top plate	YES
21	Foot Pedal control	YES
22	Free arm	YES
23	Rotary hook (horizontal)	YES
24	Drop-in Bobbin	YES
25	Bobbin Thread Cut & Quick threading set	YES
26	Bobbin Winding	YES
27	Auto Needle threader	YES
28	Feed dog	YES (7 rows of Teeth)
29	Feed Dog drop system	YES
30	Touchcontrol panel with VATN LCD display	YES
31	Arm space between Needle to edge of cover	12" (300mm) Long
32	Height of Arm space	4.3"(112mm) High
33	Unit dimensions	64×24×31CM
34	Weight gross/net	15.5KG/11.5KG
35	Lamp	6 SMD LED ULTRA LIGHT
36	max speed (rpm)	950±50 rpm
37	minmum speed (rpm)	90±10 rpm
38	Motor	DC 24V
39	Input voltage	AC 100-240VAC/ 50W
40	Acrylic Table extra large (600*450mm)	Optional
41	Straight sritch needle plate	Optional
42	Trolley bag	Optional
43	Accessory stroage	2 PCS
44	Standard Accessories	YES
45	Rigid dustcover with Babylock	Included

